



DIVING, SPEARFISHING, RESCUE OEM GEAR

DIVEDIY TECHNOLOGY (SHANGHAI) CO., LTD.

Tel 0086-21 52555867

Contact Sales Miss Rena




Email: rena@DiveDIY.com

Building 12, No.689 Lique Rd. Shanghai China 200333






<http://www.divediy.com/>

<https://divedi.en.alibaba.com/>

Diving Tank Valves

Item/Part#	Picture	Specification	20-50	51-100	101-300	301-500	>500pcs	Sample fee
Tank Valve PRO-1		3/4-14NPSM, Din/Yoke CGA850, 3000psi	29.60	27.96	26.50	23.25	21.60	35.00
Tank Valve PRO-4		3/4-14NPSM, Din/Yoke CGA850, 3000psi	27.94	26.35	24.80	21.59	19.98	35.00
Tank Valve K-2		3/4-14NPSM, Yoke CGA850, 3000psi	26.98	25.59	23.94	20.75	19.20	35.00


Manifold Tank Valve MDV-1		3/4-14NPSM, Yoke CGA850, 3000psi, 180mm	87.96	86.35	84.76	81.65	79.96	100.00
In Line Valve (Standard) LV6500S		Inlet 1/4NPT, Outlet 1/4NPT, 6500psi	21.50	19.68	18.10	14.92	13.50	30.00
In Line Valve (Panel Mount) LV6500PM		Inlet 1/4NPT, Outlet 1/4NPT, 6500psi	21.95	20.52	18.93	15.75	14.20	30.00
Yoke Filler Valve FV3500A		Inlet 1/4NPT, Outlet CGA850 Yoke, 3500psi, with Bleed Valve	27.90	26.35	24.76	21.59	19.96	35.00
Yoke Filler KF3500A		Inlet 1/4NPT, Outlet CGA850 Yoke, 3500psi, with Bleed Valve	24.60	22.90	21.43	18.25	16.80	30.00
DIN/YOKE Adapter DA3500A		DIN G5/8 Female, CGA850 Yoke, 3500psi	16.50	14.68	13.10	9.92	8.50	25.00







DIN/YOKE Adapter DA3500B		DIN G5/8 Male, CGA850 Yoke, 3500psi	19.60	17.98	16.43	13.25	11.60	30.00
DIN Filler DF5000A		1/4NPT, DIN G5/8 Male, 300Bar/5000psi, with Bleed Valve	19.60	17.96	16.43	13.25	11.67	30.00
Pressure Checker PC6000A		DIN G5/8 Male, 400Bar/6000psi, with Bleed Valve	24.60	22.90	21.43	18.25	16.62	30.00
Diving Tank Spare parts								
Item/Part#	Picture	Specification	30-100	101-200	201-500	501-1000	>1000pcs	Sample fee
Handwheel Nut HN01BP		3/16"-24, Chromed brass	0.56	0.48	0.40	0.30	0.26	1.00
Spring SP02-1SS		9mm height, Stainless steel	0.23	0.20	0.17	0.13	0.11	1.00





Spring SP02-2SS		14mm height, Stainless steel	0.28	0.24	0.20	0.15	0.13	1.00
Spring SP02-3SS		16mm height, Stainless steel	0.33	0.28	0.23	0.18	0.15	1.00
Bonnet Nut BN05-1BP		11/16"-20, Chromed brass, 11/16" hex, 14mm depth for 2.5~3 turns, sealed with copper gasket	2.33	2.00	1.67	1.25	1.10	5.00
Bonnet Nut BN05-2BP		11/16"-20, Chromed brass, 11/16" hex, 12.5mm depth for 2~2.5 turns, sealed with copper gasket	2.33	2.00	1.67	1.25	1.10	5.00
Bonnet Nut BN05-4BP		G3/8-19, Chromed brass, 3/4" hex, 12.5mm depth for 2~2.5 turns, sealed with O-ring	2.33	2.00	1.67	1.25	1.10	5.00
Inlet Thread Protector TP16-2P		3/4"-14NPSM or M25x2, Long type	0.28	0.24	0.20	0.15	0.13	1.00







Handwheel HW03-1NS		Ø40×42mm, NBR, SS shelf	3.73	3.20	2.67	2.00	1.76	5.00
Handwheel HW03-2NS		Ø39×51mm, NBR, SS shelf	4.67	4.00	3.33	2.50	2.20	5.00
Stem ST09-1SS		3/16"-24, Stainless steel, Rubber O-ring type	2.80	2.40	2.00	1.50	1.32	5.00
Stem ST09-2SS		3/16"-24, Stainless steel, Teflon gasket type	2.80	2.40	2.00	1.50	1.32	5.00
Stem ST09-3BP		3/16"-24, Chromed brass, Rubber O-ring type	1.87	1.60	1.33	1.00	0.88	5.00
Stem ST09-4BP		3/16"-24, Chromed brass, Teflon gasket type	1.87	1.60	1.33	1.00	0.88	5.00







Valve Seat (Assembly) VS10BN-A		1/2"-20UNF,Brass,Teflon coated, Nylon66 insert	2.80	2.40	2.00	1.50	1.32	5.00
Valve Seat (Assembly) VS10BP-A		1/2"-20UNF,Brass,Tefloncoated,PCTFE insert	3.03	2.60	2.17	1.63	1.43	5.00
Valve Seat (Assembly) VS10BV-A		1/2"-20UNF,Brass,Teflon coated, PVDF insert	3.27	2.80	2.33	1.75	1.54	5.00
Valve Seat (Assembly) VS10BK-A		1/2"-20UNF,Brass,Teflon coated, PEEK insert	3.73	3.20	2.67	2.00	1.76	5.00
3/8" Burst Disc (Assembly) BD11-1BP-A5000		3/8"-24, 3/8" hex, Chromed brass, Service: 3000psi, Burst: 5000psi, One- pieceassembly	2.33	2.00	1.67	1.25	1.10	5.00
3/8" Burst Disc BD11-4BP5000		3/8"-24, 3/8" hex, Chromed brass, Service: 3000psi, Burst: 5000psi, 3 pieces	2.10	1.80	1.50	1.13	0.99	5.00





1/2" Burst Disc (Assembly) BD11-10BP- A5000		1/2"-20, S13 hex, Chromed brass, Service: 3000psi, Burst: 5000psi, One- pieceassembly	2.33	2.00	1.67	1.25	1.10	5.00
Outlet DIN Plug DP13-1BP-A		G5/8, 8mm hex, Chromed brass, Viton90 O-rings	4.67	4.00	3.33	2.50	2.20	5.00
Outlet DIN Plug DP13-2BP-A		G5/8, 1/4" hex, Chromed brass, Viton90 O-rings	4.67	4.00	3.33	2.50	2.20	5.00
Bonnet Gasket BG06-1C		Ø11.2×Ø16×0.8mm, Copper	0.19	0.16	0.13	0.10	0.09	1.00
Bonnet Gasket BG06-2C		Ø13.2×Ø16×0.6mm, Copper	0.14	0.12	0.10	0.08	0.07	1.00
Bonnet O-ring BR06-015V		ID14.00×W1.78, Viton90, Brown	0.47	0.40	0.33	0.25	0.22	1.00

Bonnet O-ring BR06-015N		ID14.00×W1.78, NBR90, Black	0.23	0.20	0.17	0.13	0.11	1.00
Handwheel Washer HWW04-1N		Ø6.6×Ø17×1mm, Nylon	0.14	0.12	0.10	0.08	0.07	1.00
Handwheel Washer HWW04-2T		Ø6.6×Ø17×1mm, Teflon	0.23	0.20	0.17	0.13	0.11	1.00
Thin Teflon Gasket TG07-1T		Ø6.3×Ø11.2×0.8mm, Teflon	0.56	0.48	0.40	0.30	0.26	1.00
Medium Teflon Ga sket TG07-2T		Ø6.3×Ø11.2×1.7mm, Teflon	0.56	0.48	0.40	0.30	0.26	1.00
Thick Teflon Gasket TG07-3T		Ø6.3×Ø11.2×2.7mm, Teflon	0.56	0.48	0.40	0.30	0.26	1.00

Stem O-ring SR08-010V		ID6.07×W1.78, Viton90, Brown	0.28	0.24	0.20	0.15	0.13	1.00
Stem O-ring SR08-010E		ID6.07×W1.78, EPDM90, Black	0.19	0.16	0.13	0.10	0.09	1.00
Stem O-ring SR08-010T		ID6.4×W1.8, Teflon, White	0.56	0.48	0.40	0.30	0.26	1.00
DIN Outlet O-ring DR12-112V		ID12.37×W2.62, Viton90, Brown	0.56	0.48	0.40	0.30	0.26	1.00
DIN Outlet O-ring DR12-112E		ID12.37×W2.62, EPDM90, Black	0.23	0.20	0.17	0.13	0.11	1.00
Yoke Outlet O-ring KR12-014V		ID12.42×W1.78, Viton90, Brown	0.47	0.40	0.33	0.25	0.22	1.00

Yoke Outlet O-ring KR12-014E		ID12.42×W1.78, EPDM90, Black	0.23	0.20	0.17	0.13	0.11	1.00
Yoke Outlet O-ring KR12-014P		ID12.42×W1.78, PU90, Cream-colored	0.56	0.48	0.40	0.30	0.26	1.00
Inlet O-ring IR14-214V		ID24.99×W3.53, Viton90, Brown	1.40	1.20	1.00	0.75	0.66	3.00
Inlet O-ring IR14-214E		ID24.99×W3.53, EPDM90, Black	0.47	0.40	0.33	0.25	0.22	1.00
Dip Tube DT15-2BP		1/4"-32, Chromed brass with fixing slot	1.40	1.20	1.00	0.75	0.66	3.00
Dip Tube DT15-3BP		M6×0.75mm, Chromed brass with fixing slot	1.40	1.20	1.00	0.75	0.66	3.00

Valve Service Kit KIT-DK1		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 2pcs DIN Outlet O-ring (#DR12-112V) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-1C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 7. 1set 3/8" Burst Disc (#BD11-4BP5000) 	5.21	4.74	4.42	4.10	3.63	8.00
Valve Service Kit KIT-DK2		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 2pcs DIN Outlet O-ring (#DR12-112V) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-1C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 	4.55	4.07	3.75	3.44	2.96	8.00
Valve Service Kit KIT-K1		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 1pcsYoke Outlet O-ring (#KR12-014V) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-2C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 7. 1pcs 1/2" Burst Disc(A) (#BD11-7BP-45000) 	5.05	4.57	4.25	3.94	3.46	8.00
Valve Service Kit KIT-K2		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 1pcsYokeOutlet O-ring (#KR12-014V) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-2C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 	4.38	3.90	3.59	3.27	2.79	8.00
Valve Service Kit KIT-K3		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 1pcsYoke Outlet O-ring (#KR12-014P) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-2C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 7. 1pcs 1/2" Burst Disc(A) (#BD11-7BP-45000) 	5.05	4.57	4.25	3.94	3.46	8.00
Valve Service Kit KIT-K4		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 1pcsYoke Outlet O-ring (#KR12-014P) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-2C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 	4.38	3.90	3.59	3.27	2.79	8.00

Valve Service Kit KIT-K5		<ol style="list-style-type: none"> 1. 1pcsThinTeflon Gasket (#TG07-1T) 2. 1pcsThickTeflon Gasket (#TG07-3T) 3. 1pcsYoke Outlet O-ring (#KR12-014P) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-2C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 7. 1pcs 1/2" Burst Disc(A) (#BD11-7BP-A5000) 	5.30	4.80	4.50	4.10	3.63	8.00
Valve Service Kit KIT-K6		<ol style="list-style-type: none"> 1. 1pcsThinTeflon Gasket (#TG07-1T) 2. 1pcsThickTeflon Gasket (#TG07-3T) 3. 1pcsYoke Outlet O-ring (#KR12-014P) 4. 1pcs Inlet O-ring (#IR14-214V) 5. 1pcs Bonnet Gasket (#BG06-2C) 6. 1pcs Valve Seat(Assembly) (#VS10BN-A) 	4.60	3.95	3.75	3.44	2.96	8.00
Valve Service Kit KIT-KA		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 1pcs Stem (#ST09-3BP) 4. 1pcs Bonnet Nut (#BN05-2BP) 5. 1pcs Yoke Outlet O-ring (#KR12-014V) 6. 1pcs Inlet O-ring (#IR14-214V) 7. 1pcs Bonnet Gasket (#BG06-1C) 8. 1pcs Valve Seat(Assembly) (#VS10BN-A) 9. 1set 3/8" Burst Disc (#BD11-4BP5000) 	6.60	6.20	5.90	5.60	4.98	8.00
Valve Service Kit KIT-DKA		<ol style="list-style-type: none"> 1. 1pcs Stem O-ring (#SR08-010V) 2. 1pcs MediumTeflon Gasket (#TG07-2T) 3. 1pcs Stem (#ST09-3BP) 4. 1pcs Bonnet Nut (#BN05-2BP) 5. 1set Outlet DIN Plug (#DP13-2BP-A) 6. 1pcs Inlet O-ring (#IR14-214V) 7. 1pcs Bonnet Gasket (#BG06-1C) 8. 1pcs Valve Seat(Assembly) (#VS10BN-A) 9. 1set 3/8" Burst Disc (#BD11-4BP5000) 	7.90	7.60	7.25	6.95	6.50	8.00